	,		
Notice of Allowability	Application No.		
	10/601,439		
	Examiner	Art Unit	
	Michael J. Yigdall	2192	
The MAILING DATE of this communication and All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOLNOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.	IS (OR REMAINS) CLOSED in 85) or other appropriate commu RIGHTS. This application is si	this application. If not include nication will be mailed in due	ded e course THIS
1. $igtimes$ This communication is responsive to $ extit{Applicant's submis}$	ssion filed on July 31, 2007.		
2. 🔀 The allowed claim(s) is/are <u>5-9 and 20-24 (renumbered</u>	<u>1 1-10)</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents h</li> <li>2. Certified copies of the priority documents h</li> <li>3. Copies of the certified copies of the priority</li> </ul>	nave been received. nave been received in Application	n No	ation from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DAT noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	TE" of this communication to file NMENT of this application.	a reply complying with the re	equirements
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO-152) which</li> </ol>	bmitted. Note the attached EXA gives reason(s) why the oath or	MINER'S AMENDMENT or declaration is deficient.	NOTICE OF
5. CORRECTED DRAWINGS ( as "replacement sheets") r	must be submitted.	•	
(a) including changes required by the Notice of Draftsp		( PTO-948) attached	
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date	<u></u> .		
(b) including changes required by the attached Examin Paper No./Mail Date	ner's Amendment / Comment or	in the Office action of	
Identifying indicia such as the application number (see 37 CF each sheet. Replacement sheet(s) should be labeled as such	R 1.84(c)) should be written on the in the header according to 37 CFF	e drawings in the front (not th	e back) of
<ol> <li>DEPOSIT OF and/or INFORMATION about the de attached Examiner's comment regarding REQUIREMENT</li> </ol>	eposit of BIOLOGICAL MATE NT FOR THE DEPOSIT OF BIO	RIAL must be submitted. LOGICAL MATERIAL.	Note the
		•	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	E  Notice of lef	armal Dataut Application	
<ol> <li>Notice of Neteriness offed (F10-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-94)</li> </ol>		ormal Patent Application	
- · ·	Paper No./N	mmary (PTO-413), Mail Date	
Information Disclosure Statements (PTO/SB/08),     Paper No./Mail Date	7. 🔲 Examiner's A	Amendment/Comment	
<ol> <li>Examiner's Comment Regarding Requirement for Depos of Biological Material</li> </ol>	_	Statement of Reasons for All	owance
	9.  Other		
		10/20/0	

TUAN DAM
SUPERVISORY PATENT EXAMINER

Application/Control Number: 10/601,439

Art Unit: 2192

#### **DETAILED ACTION**

This Office action is responsive to Applicant's submission filed on July 31, 2007. Claims
 and 20-24 are pending.

### Response to Amendment

2. The rejection of claims 1-4 and 10-19 under 35 U.S.C. 102(b) has been withdrawn in view of Applicant's amendment canceling those claims.

# Response to Arguments

3. Applicant's arguments (see Applicant's remarks, pages 7-10) have been fully considered and are persuasive. The rejection of claims 5-9 and 20-24 under 35 U.S.C. 103(a) has been withdrawn.

# Allowable Subject Matter

- 4. Claims 5-9 and 20-24 are allowed.
- 5. The following is an examiner's statement of reasons for allowance:

The prior art of record does not teach or reasonably suggest, in the manner and combination recited in the independent claims, and given Applicant's definition of an "excepting instruction" as an "instruction that may cause an exception to occur" (specification, paragraph [0025], lines 1-2), determining a second instruction in a plurality of instructions that computes a previous value of a target register associated with a first instruction when the first instruction is not an excepting instruction and is to be moved upward across a check instruction (claims 5 and 20), and similarly, inserting a copy of a first instruction into a recovery block when the first

Art Unit: 2192

instruction is not an excepting instruction and is to be moved downward, but not upward, across a check instruction (claims 8 and 23), as Applicant indicates (remarks, pages 7-10).

6. Any comments considered necessary by Applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael J. Yigdall whose telephone number is (571) 272-3707. The examiner can normally be reached on Monday through Friday from 7:30am to 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tuan Q. Dam can be reached on (571) 272-3695. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2192

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MΥ

Michael J. Yigdall Examiner

Art Unit 2192

mjy

TUAN DAM

SUPERVISORY PATENT EXAMINER